EFFICIENCY PRODUCTION, INC. P.O. BOX 24126 LANSING, MI 48909 PHONE 517-678-8800

EFFICIENC TRENCH SHIEL

620 HT6F

SERIAL NUMBER

113559

Trench Shield #25 Kelbe 11/95

REFERENCE TO OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION RULES AND REGULATIONS, VOL. 54, NO. 209, 10-31-89, PART 1926, SUBPART P

SHIELD SIZE		PSF RATING	MAXIMUM ALLOWABLE DEPTH OF CUT (FEET) D SOIL TYPE TO BE EXCAVATED		
HEIGHT (FEET)	LENGTH (FEET)	MAXIMUM LATERAL EARTH PRESSURE CAPACITY AT TRENCH BOTTOM IN POUNDS PER SQUARE FOOT	TYPE A Stiff, cohesive soil. 25 PSF per foot of depth.	TYPE B Medium cohesive to granular soil. 45 PSF per foot of depth.	TYPE C Soft cohesive to submerged soil. 80 PSF per foot of depth.
, 6	20	1,350	54	30	20
LIMITATIONS IN USE OF TABLE			DESCRIPTION	DESCRIPTION	DESCRIPTION

## CHAILLY LIGHTS IIA 02F

- TRENCH SHIELD TO BE ASSEMBLED AND INSTALLED AS SHOWN AND IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS,
- 2. EXCAVATION 2 FEET BELOW BOTTOM OF SHIELD IS PERMITTED WHEN NO LOSS OF SOIL FROM BEHIND OR BELOW THE BOTTOM OF SHIELD IS ENCOUNTERED.
- CONSULT MANUFACTURER WHEN RESTRICTION OF NOTE 2 IS NOT MET.
- ADDITIONAL SHIELDS MAY BE STACKED WITH NO PENALTY IN DEPTH OF CUT.
- 5. DEPTHS OF CUTS SHOWN ARE BASED ON EXAMPLES OF VARIOUS SOIL CONDITIONS. VERIFY ACTUAL SOIL PRESSURES PRIOR TO EACH USE.
- 5. ANY MODIFICATIONS OR ALTERATIONS NOT ALLOWED UNLESS APPROVED IN WRITING BY EFFICIENCY PRODUCTION, INC.

ENGINEER

NO. 17221

POFESSION

7. DEPTH CERTIFICATION IS BASED ON SHORT TERM EXPOSURE WITH EXCAVATION OPEN A PERIOD OF TIME EQUAL TO 24 HOURS OR LESS. CONSULT THE JIRED.

JIRED.


JIRED.

ALI THERESE MANUFACTURER SHOULD LONG TERM EXPOSURE

Clay, silty clay, sandy clay, clay loam, unconfined compressive strength of 1.5 tons per square foot or greater. (See note 8 on reverse side).

Clay with unconfined compressive strength greater than .5 TSF but less then 1.5 TSF. cohesionless gravel, sit, silt loam or sandy loam. (See Note 9 on reverse alde).

Clay with unconfined compressive strength less than .5 TSF, submerged sand, day or fractured rock that is not (See Note 10 on reverse side).



CERTIFIED BY:

McCLURG & ASSOCIATES, INC. CONSULTING ENGINEERS

EFFICIENCY PRODUCTION, INC. ALL RIGHTS RESERVED

MANUFACTURED UNDER ONE OR MORE OF THE FOLLOWING U.S. PATENT NUMBERS: 4,090,385-4.114,383-4,259,028 ONE OR MORE OF THE FOLLOWING CANADIAN PATENT NUMBERS: 1,062,683-1,062,684

USE THIS PRODUCT ONLY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, OR LOCAL LAWS

by use of this product not specifically described on this certificate could cause cave-in, collapse, or structural failure resulting in death or serious injury.